




## 05. Derrock DP 600 Series Wave Screen Shaker Screen Replacement ▼



### Compatible shale shakers

- Derrock DP (Dual Pool) 626 shaker.
- Derrock DP (Dual Pool) 616 shaker.
- Derrock DP (Dual Pool) 628 shaker.
- Derrock DP (Dual Pool) 618 shaker.
- Derrock DP (Dual Pool) 626 VE (Vapor Extraction).
- Derrock DP (Dual Pool) 616 VE (Vapor Extraction).
- Derrock DP (Dual Pool) 628 VE (Vapor Extraction).
- Derrock DP (Dual Pool) 618 VE (Vapor Extraction).




## Technical Parameter

- **Model No.:** SJ-Wave DP 600.
- **Material:** stainless steel 304/316/316 L.
- **Body Material:** stainless steel plate.
- **Construction Type:** Wave Type.
- **Perforated Mesh Shape:** rectangle.
- **Standard:** API RP 13C.
- **API RP 13C Designation:** API 20 – API 325.
- **Series:** DX, DF, HP optional.
- **Warranty Period:** 1 year.
- **Working Life:** 400-450 hours.




Positive Side



Wave Structure



Handy Handle for Convenient Operation



Reverse Side



Rectangular Perforated Wear Plate



## SJ-Wave Type DP 600-A325

- API mesh designation
- Fit shaker model: Derrock DP 600 series
- Screen panel construction
- Replacement screens made by SHENGJIA

## Performance Parameter

Screen Designation	Mesh Type	API RP 13C Designation	Conductance Number	D100 Separation (microns)	Layer No.	Non-Blank Area (sq.ft)
SJ-Wave DP 600-A200	DX	API 200	0.95	78	2/3	4.85
SJ-Wave DP 600-A170	DX	API 170	1.36	97	2/3	4.85
SJ-Wave DP 600-A140	DX	API 140	1.92	115	2/3	4.85
SJ-Wave DP 600-A120	DX	API 120	1.92	120	2/3	4.85
SJ-Wave DP 600-A100	DX	API 100	2.33	154	2/3	4.85
SJ-Wave DP 600-A80	DX	API 80	3.09	184	2/3	4.85
SJ-Wave DP 600-A70	DX	API 70	3.80	221	2/3	4.85
SJ-Wave DP 600-A60	DX	API 60	4.68	257	2/3	4.85
SJ-Wave DP 600-A50	DX	API 50	5.50	314	2/3	4.85
SJ-Wave DP 600-A45	DX	API 45	5.84	360	2/3	4.85
SJ-Wave DP 600-A40	DX	API 40	6.59	453	2/3	4.85
SJ-Wave DP 600-A35	DX	API 35	7.06	503	2/3	4.85
SJ-Wave DP 600-A325	DF	API 325	0.38	44	2/3	4.85
SJ-Wave DP 600-A270	DF	API 270	0.44	53	2/3	4.85
SJ-Wave DP 600-A230	DF	API 230	0.71	67	2/3	4.85
SJ-Wave DP 600-A20	DF	API 20	0.93	821	2/3	4.85

\* **D100:** Particles this size and larger will normally be discarded.

\* **API:** Corresponding API sieve equivalent as per API RP 13C.

\* **Conductance No.:** This represents the ease with which a liquid can flow through the screen. Larger values represent higher volume handling.