




FSI 5000 Series

Shaker Screen Replacement ▼




Compatible shale shakers

- FSI series 5000 BSBS Linear Power Side-By-Side Shaker.
- FSI series 5000B DHC Double Header Mud Cleaner.
- FSI series 5000B CD VGS™ Linear Cutting Drier.



Technical Parameter

- **Model No.:** SJ-FSI 5000.
- **Material:** stainless steel 304/316/316 L.
- **Frame Material:** Q235 steel.
- **Standard:** API RP 13C.
- **API RP 13C Designation:** API 20 - API 325.
- **Series:** XL, XR.
- **Warranty Period:** 1 year.
- **Working Life:** 400-450 hours.



Positive Side



SS 304/316 Wire Mesh Cloth



Reverse Side



Rectangular Perforated Wear Plate



SJ-FSI 5000-A325

- API mesh designation
- Fit shaker model: FSI 5000 series
- Replacement screens made by SHENGJIA

Performance Parameter

Screen Designation	API RP 13C Designation	Conductance Number	D100 Separation (microns)	Non-Blank Area (sq.ft)
SJ-FSI 5000-A325	API 325	0.39	44	6
SJ-FSI 5000-A270	API 270	0.67	57	6
SJ-FSI 5000-A230	API 230	0.71	68	6
SJ-FSI 5000-A200	API 200	1.32	73	6
SJ-FSI 5000-A170	API 170	1.34	83	6
SJ-FSI 5000-A140	API 140	1.89	101	6
SJ-FSI 5000-A120	API 120	1.89	101	6
SJ-FSI 5000-A100	API 100	2.66	164	6
SJ-FSI 5000-A80	API 80	2.76	193	6
SJ-FSI 5000-A70	API 70	3.33	203	6
SJ-FSI 5000-A60	API 60	4.10	256.8	6
SJ-FSI 5000-A50	API 50	6.62	268	6
SJ-FSI 5000-A40	API 40	8.64	439	6
SJ-FSI 5000-A35	API 35	9.69	538	6
SJ-FSI 5000-A20	API 20	10.88	809	6

* D100: Particles this size and larger will normally be discarded.

* API: Corresponding API sieve equivalent as per API RP 13C.

* Conductance No.: This represents the ease with which a liquid can flow through the screen. Larger values represent higher volume handling.

DECLARATION

ShengJia solemnly declares that we only produce the replacement screens but not original ones.

■ FSI, Fluid system, FSI 5000 are marks of Fluid System INC.

* All listed items are right fit replacement shaker screen not originally made by FSI.

* All concerned marks are reserved by the original manufacturer and company.